

S700-50/-56 ChillBlock[™] Racks



For Tubes, Strips and Plates

SBS standard footprint compatible for quick transfer to automated systems

S700-50 (96 well) and S700-56 (60 well) ChillBlock[™] tube racks will accept* 200 µl PCR tubes, strips, plates and microcentrifuge tubes ^{*}Depending on the model

- Made of thermo-conductive metal alloy
- Alphanumeric identification of wells facilitating tube location
- Anodized surface resistant to rust, corrosion, and abrasion
- Temperature uniformity through ChillBlock[™] rack
- Autoclavable or clean with disinfectants

THERMAL CAPABILITIES – ChillBlock™ Racks

Use on Ice:

- Adapts from ambient to <4°c in 60-90 seconds
- Samples and labels stay dry, organized and uniform in temperature
- Hours of ice cooling without direct ice contact
- Use on Dry Ice:
- Adapts from ambient to <-78°c in 5-7 minutes
- Eliminates ethanol cost savings, no hazardous waste
- Equal or better freezing rate when compared to other methods Use above Liquid Nitrogen:
- Adapts from ambient to <-140°c in 15 minutes
- Samples are upright and organized as they freeze
- No direct contact between samples and liquid nitrogen Heating Methods:
- Use ChillBlock tube racks with heat e.g. Waterbaths, Incubators, Hot Plates and Ovens.



Cat. №	Wells	Dimensions (L x W x H)
S700-50	96	12.8 x 8.5 x 2.5 cm
S700-56	60	12.8 x 8.5 x 3.2 cm

S700-50 Racks hold 200μL PCR tubes, strips, or plates. **S700-56** Racks hold 12 screw cap Microcentrifuge tubes or 1.5 ml and 2.0 ml snap cap Microcentrifuge tubes along with up to 6 PCR strips or 48 individual 0.2 ml PCR tubes.





SPECIFICATIONS		
Material	Thermo-conductive metal	
Temperature range	From -150°C to >+100°C	
Autoclavable	Yes	
Qty/Cs	1	



Australian distributors: Fisher Biotec Australia free call: 1800 066 077 email: info@fisherbiotec.com web: www.fisherbiotec.com