
iSWAB[™]-Cells

OMICs from a Single Sample: Collect, Transport, & Store Intact Buccal Cells

iSWAB-Cells Collection Kit is a non-invasive device for room temperature collection, stabilization, concentration, transportation, and storage of intact buccal cells. iSWAB-Cells, a universal cell collection device, can analyze gDNA, RNA, proteins, and cell morphology from the same sample. iSWAB Cells is designed for non-invasive, self-collection of intact and viable buccal cells using a flocked swab or cytobrush.


The iSWAB-Cells offers multi-OMICs from a single sample of intact buccal cells that can withstand room temperature collection, transportation, and storage. Self collection or assisted collection using a flocked swab or cytobrush can be achieved in less than 2 minutes, and is suitable for all population segments including infants, toddlers, and elderlies. Each iSWAB-Cells collection device contains a LIMS compatible unique barcodes for efficient traceability during transport and storage.



FULL GENOMICS, PROTEOMICS, & TRANSCRIPTOMICS ANALYSIS FROM A SINGLE SAMPLE including DNA, RNA, proteins, and cell morphology.

- ✓ **STABILIZES INTACT CELLS FOR UP TO 4 WEEKS** at room temperature.
- ROOM-TEMPERATURE STABLE: Reduce storage and transport costs by eliminating cold chain requirements.
- ✓ **SWAB-FREE SAMPLE TRANSPORT:** Decrease sample processing time without compromising sample integrity.
- ✓ SELF COLLECTION OR ASSISTED COLLECTION IN <5 MINUTES: Suitable for all population segments including infants, toddlers, and elderly people.
- ✓ SCALABLE: iSWAB Cells buffer can be purchased separately in 1 or 5 liter volumes for stabilization of larger samples.
- ✓ PURIFIED DNA, RNA, OR PROTEINS FROM COLLECTED SAMPLES ARE COMPATIBLE with qPCR, microarray, NGS, and cell-based assays.
- ✓ NO ORGANIC HAZARDOUS SOLVENT FIXATIVES.
- TRACEABLE AND RELIABLE chain of custody: LIMS-compatible unique barcodes included on each collection device for efficient traceability during transport and storage.

Efficient Stabilization of Human gDNA in iSWAB-Cells



iSWAB Cells Stabilizes Double Stranded Human gDNA at Room Temperature for Several Weeks

Experiment: Evaluation of the ability of iSWAB-Cells to stabilize human gDNA at room temperature for extended periods of time. Pooled buccal cell samples collected with iSWAB-Cells from 10 subjects (age: 21-60 years) was tested at various time points, while stored at room temperature.

Human gDNA Extraction: QIAamp DNA Blood Mini Kit (Cat. nos. 51104/51106) from 200ml input as starting material from iSWAB-Cells.

REF /Catalog Number	Product Family Name	😵 Stabilizing Buffer
iSWAB-Cells-1200	iSWAB-Cells Collection Kit	1.0 mL
ISC-T-1200-R	iSWAB-Cells Collection Device Rack	1.0 mL x 50 units
ISC-T-1200	iSWAB-Cells Collection Device	1.0 mL x 500 units



Mawi DNA Technologies LLC www.MawiDNA.com

26203 Production Ave, Suite 3 | Hayward, CA 94545 Tel:510-256-5186 | US/Canada: 510-256-5186 | 855-DNA-SWAB

EC REP CEpartner4U www.cepartner4u.com


Esdoornlaan 13 | 3951 DB | Maarn | The Netherlands



iSWAB is a trademark of Mawi DNA Technologies LLC. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. © 2013 Mawi DNA Technologies LLC. All rights reserved. Version ISFDS-1.01

RNASeq Profile of Buccal Cells from iSWAB-Cells: 1 day vs 10 days at Room-Temperature Storage

Buccal RNASeq Profile of Person 1 (P1) and Person 2 (P2)




Experiment: Comparison of Person 1 and Person 2, and repeated buccal cell collection with iSWAB-Cells of Person 1 by flocked swabs, or cytobrushes one day and after 10 days post-collection at room-temperature storage.

RNA Extraction: Zymo Quick-RNA MiniPrep Plus (cat. nos. R1057/R1058).

Data Analysis: The figure is a correlation matrix of the FPKM read counts for every gene expressed in the RNASeq data, clustered by similarity (Pearson correlation).

RNASeq Conditions: 60 million single-end 50 base pair reads on an Illumina TruSeq RiboZero stranded RNASeq kit.

Epidermal Growth Factor Receptor Levels Remain Relatively Unchanged in iSWAB-Cells



Experiment: Evaluation of the performance of iSWAB-Cells stabilization of membrane proteins at room temperature for extended periods of time utilizing cellbased colorimetric ELISA. Cell-based ELISA analysis allows for protein analysis without the need for cell lysis and thus chosen accordingly. Pooled buccal cells collected with iSWAB-Cells from 10 subjects (ages: 21-60 years) was tested at various time points for the stability of Epidermal Growth Factor Receptor (EGFR) while remaining stored at room temperature. The stability level was measured in correlation to the intensity of the colorimetric intensity of each well at OD 450nm (1000 buccal cells/well).

Cell-based ELISA: Human EGFR In-Cell ELISA Kit from abcam (cat. no. ab126419)

EGFR Stability Assessment: Measurement of the loss of colorimetric intensity of the HRP subsrate over time at OD 450nm. All OD readings were normalized to iSWAB-Cells buffer before use.

Data Analysis: There is insignificant change in Epidermal Growth Factor Receptor levels in iSWAB-Cells after 14 days of room-temperature storage.

mawi

Mawi DNA Technologies LLC www.MawiDNA.com

26203 Production Ave, Suite 3 | Hayward, CA 94545 Tel:510-256-5186 | US/Canada: 510-256-5186 | 855-DNA-SWAB


EC REP CEpartner4U www.cepartner4u.com

Esdoornlaan 13 | 3951 DB | Maarn | The Netherlands

iSWAB is a trademark of Mawi DNA Technologies LLC. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. © 2013 Mawi DNA Technologies LLC. All rights reserved. Version ISFDS-1.01

iSWAB-Cells Maintains Cells Viable and Intact for Up to 4 Weeks at Room Temperature

Time Course of Collected Buccal Cells with iSWAB-Cells: Viable vs. Dead Cells at Room-Temperature Storage



Buccal cells were collected from 6 volunteers (ages 19-50) following iSWAB-Cells collection procedure. Each volunteer provided a sample early in the morning before brushing their teeth (AM) and a second set of samples before dinner (PM). The cells were counted by light microscopy using a hemocytometer and Trypan Blue. The numbers of cells are the average of cells of the AM and PM collected samples. Buccal cells that did not take Trypan Blue appear colorless and counted as viable, while the blue colored cells took up Trypan Blue and were counted as dead cells.



Mawi DNA Technologies LLC www.MawiDNA.com

26203 Production Ave, Suite 3 | Hayward, CA 94545 Tel:510-256-5186 | US/Canada: 510-256-5186 | 855-DNA-SWAB

EC REP CEpartner4U www.cepartner4u.com

Esdoornlaan 13 | 3951 DB | Maarn | The Netherlands





iSWAB is a trademark of Mawi DNA Technologies LLC. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details. © 2013 Mawi DNA Technologies LLC. All rights reserved. Version ISFDS-1.01